

RECEIVED
CENTRAL FAX CENTER

JUL 19 2005

FAXED
3-4 Sep 7/18

FROM THE DESK OF:
THOMAS R. BEALL
PATENT PORTFOLIO MANAGER
CORNING LIFE SCIENCES
CORNING DISPLAY TECHNOLOGIES
CORNING INCORPORATED
SP-TT-03-1
CORNING, NY 14831
TELEPHONE: 607-974-3921
FACSIMILE: 607-974-3848
E-MAIL: bealltr@corning.com

CORNING
INCORPORATED

Fax

To:	Melanie J. Yu	Company:	U.S. Patent Office
Fax:	(703) 872-9306	Pages:	12 12
Phone:	(571) 272-2933	Date:	July 18, 2005
Re:	Our Ref.: SP03-091/TRB/CLS-DNAP Serial No. 10/629,444	CC:	

☐ Urgent ☐ For Review ☐ Please Comment ☐ Please Reply ☐ Please Recycle

● Comments:

Attached herewith is a copy of the May 25, 2005, office action response and Bruce Aitken Affidavit for discussion purposes.

CONFIDENTIAL AND PRIVILEGED NOTICE

The information contained in this facsimile is intended for the named recipient(s) only. It may contain PRIVILEGED or CONFIDENTIAL matter. If you receive this facsimile in error, please notify us immediately and we will arrange the return of this document to us. Please do not review this document or disclose its contents to anyone. Thank you.

FOR DISCUSSION PURPOSES ONLY
ATTORNEY DOCKET NO.: SP03-091RECEIVED
CENTRAL FAX CENTER
JUL 19 2005**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

Inventor:	Paul Stephen Danielson, et al.		Group Art Unit:
Serial No:	10/629444		Examiner:
Filing Date:	July 29, 2003		
Title:	POROUS SUBSTRATES REDUCED FLORESCENCE	GLASS WITH AUTO-	DUE 07-25-2005

Mail Stop Amendment
Commissioner of Patents
Alexandria, VA 22313-1450**RESPONSE TO THE EXAMINER'S OFFICE ACTION**

In reply to the Office Action dated May 27, 2005, designated as Paper No. xxx in the above-captioned application, please enter the following [amendments and] Remarks as follows:

Revised: March 7, 2000